BR30-7.5-840-DIM

Project:	Туре:	Prepared By: Date:
		Features and Benefits Energy efficient replacement for incandescent and halogen Reflector lamps Constructed from durable plastic which lowers risk of breakage Rated for use in enclosed and open fixtures in dry or damp locations Frosted lens produces smooth diffuse light Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs ENERGY STAR Compliant Dimmable with common dimmer types (check compatibility list)
		Base Type: E26 Beam Angle: pan based on IES LM-70 110°
7.5W Lumens (Nominal): 650	results Construction Bulb Shape:	Electrical Power Factor: >0.7
Efficacy: 87 lm/W	BR30 Enclosure Materi	Input Voltage: 120V

Color Accuracy:

80

Color Temperature:

4000K

Plastic **Housing Finish:** White

Lens Finish:

Frosted

120V **Operating Frequency:** 60 Hz

RAB

Technical Specifications (continued)

Electrical

Operating Temperature:

-20°C-45°C

Other

Equivalency:

65

Technology EQ:

Incandescent

Warranty (Years):

3 years

Compliance			
UL Listed:			
Yes			
Environment/Fixture Rati	ng:		
Damp / Enclosed			
Energy Star ID:			
2356091			

Rohs:

Mercury and UV free. RoHS-compliant components. FCC:

Complies with Part 15 of the FCC Rules

Model Number:

R10046(BR30-7.5-840-DIM)

Minimum Compartment Size

Length x Width x Height [in]	Lamp Quantity	
11.14 x 7.18 x 5.79	1	

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	6	0	0	0
PALLET	1056	0	0	0

