



Replace 300W A19 lamps. These universal voltage bulbs work on 120 or 277V for maximum flexibility across applications.

Color: White

Weight: 1.0 lbs

Project:	Type:
Prepared By:	Date:

Driver Info		LED Info	
Watts	31.50W	Input Voltage	120-277
Color Temp	3000K (Warm White)	Power Factor	>0.9
Lumens	4,000	Flicker	N/A
Efficacy	127 LPW	THDi	N/A
Color Accuracy	80 CRI	R9	
L70 Accuracy	40,000		

Technical Specifications

Technical Specifications

Product Type:

A-Line

Bulb Shape:

PS25 E26

Wattage:

31.5W

Wattage Equivalency:

300WW Incandescent

Typical Lumen Output:

4000

Efficacy:

125 lm/W

Color Temperature:

3000K Warm White

CRI:

80

Base Type:

E26

L70 Lifespan:

40,000 hours

Operating Temperature:

-20°C - 45°C

Dimmable:

No

Beam Angle:

230°

Warranty:

5-Year, No-Compromise Warranty

For Use in Emergency Fixtures:

No

For Use Outdoors in Open Fixtures:

No

Electrical Characteristics

Input Voltage:

120-277V

Power Factor:

>0.9

Operating Frequency:

60 Hz

Technical Specifications (continued)

Electrical Characteristics

Input Current @ 120V:

330mA

Input Current @ 277V:

143mA

THDi:

≤25%

Listings

UL Listed:

Yes


UL Classified:

Yes

CEC Status:

Not lawful for sale in California

Dimensions



Features

UNIVERSAL BULBS: Replace 60W, 125W, 200W and 300W incandescent lamps operated on 120V or 277V

UNIVERSAL voltage bulbs have high lumen packages for industrial and commercial applications

ENERGY SAVINGS: Save up to 85% on energy

ENCLOSED FIXTURE RATED: May be used in both enclosed and open fixtures

DAMP RATED: Suitable for damp locations

SHATTERPROOF: Plastic constructed bulbs ideal for rugged applications