

S11402

5.8A19/LED/27K/120V/ECO/ND 5.8W; A19 LED; 2700K; Medium base; 220 deg. beam spread;120V

Features

- A-Shaped replacement lamp
 Direct replacements for 40 watt incandescent

Yes

- Approved for enclosed fixtures
 Damp location rated

Non-Compliant



S11402

cULus - Damp Location Rated 3 Year Limited

Item Numb	er	UPC	Voltage	e Wa	atts	Frequen	•	Equivale		Factor	
S11402	S11402 045923114021 120		5	.8	50/60Hz		40W		0.54	A19	
Base	ANSI Base		Lamp Code)			ible/Non- mable	Finish	MOL In Inches	MOD Inche	
Medium	E26	5.8A19/L	19/LED/27K/120V/ECO/ND			Non-Dimmable Frosted		4-11/32"	2-3/8	3" 450	
Average Hou		Kelvin Temp	Color	CRI		Spread leg	Opera	ating Tempera	ature	Pack	Package Type
1000	00	2700	Warm White	80	2	20		3F) to a maxir -45C (+113F)	num of	24/6	Вох
CEC St	atus	RoHS Comp	bliant	Fixture	Туре	UL oı Lis	ETL ted	UL Clas	ssification		Warranty

Yes

Enclosed Rated Lamp



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051