

S11404

5.8A19/LED/40K/120V/ECO/ND 5.8W; A19 LED; 4000K; Medium base; 220 deg. beam spread;120V

Features

- A-Shaped replacement lamp
 Direct replacements for 40 watt incandescent
 Approved for enclosed fixtures
 Damp location rated



S11404

Item Number		UPC	Voltag	je Watts	atts Operating Frequency		Incandescent Equivalent		Power Factor	
S11404 0		45923114045 1		5.8	.8 50/60Hz		40W		0.54	A19
Base	ANSI Base	Lamp Code		le	Dimmable/No Dimmable			MOL In Inches	MOD I Inche	
Medium	E26	5.8A19/	LED/40K/12	0V/ECO/ND	No	on-Dimmable Whit		4-11/32"	2-3/8	" 450
Average Rated Hours		Kelvin Temp	Color	CRI Bea	am Spread Deg	Оре	erating Tempe	rature	Pack	Package Type
10000		4000	Cool White	80	220	-25C (-	·13F) to a max +45C (+113F		24/6	Box
CEC Status		RoHS Compliant		Fixture Typ	<u> </u>	. or ETL Listed	UL CI	UL Classification		Warranty
Non-Compliant		Yes En		closed Rated Lamp		Yes	cULus - Damp Location Rate		Rated	<u>3 Year Limited</u>



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



@2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051