



S12101

5.5G16/LED/SW/3K/120V/E12
 5.5W G16 LED; Soft White; Candelabra base; 3000K; 500 Lumens; 120V

Features

- Incandescent equivalence up to 60 watts
- Long life
- Dimmable
- Approved for enclosed fixtures



S12101

Item Number	UPC	Voltage	Watts	Incandescent Equivalent	Power Factor	Lamp Shape	Base
S12101	045923121012	120	5.5	60W	>0.70	G16	Candelabra
ANSI Base	Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours
E12	5.5G16/LED/SW/3K/120V/E12	Dimmable	Frosted	3-1/8"	2"	500	15000
Kelvin Temp	Color	CRI	Beam Spread Deg	Operating Temperature	Pack	Package Type	ENERGY STAR
3000	Soft White	80	360	-20C (-4F) to a maximum of +45C (+113F)	24/6	Box	ENERGY STAR
CEC Status	RoHS Compliant	Fixture Type	UL or ETL Listed	UL Classification	Warranty		
Non-Compliant	Yes	Enclosed Rated	Yes	cULus - Damp Location Rated	3 Year Limited		



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027

