

S21724

2.5W EFC/LED/27K/CL/120V/2CD 2.5W CA10 LED; Clear; Medium base; 2700K; 120V; Carded

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source

- Offini-directional light source
 Smooth dimming
 Replaces up to 25 watt lamps
 Long life 15,000 hours
 Damp Location
 UL listed for totally enclosed fixtures



S21724

Item Nur	mbe	r	UPC	Vo	ltage	Watts	Incand	descent Eq	uivalent	Powe	er Factor	Lamp SI	nape	Base	
S21724 045923217241 1		20	5.5	25W			>0.90		CA10		Medium				
ANSI Base Lamp Code				Dimmable/Non-Fir		Finish	MOL In			Initial Lumens I		Average Rated Hours			
E26	E26 2.5W EFC/LED/27K/CL/120V/2CD)	Dimmal	ble	Clear 3 7/8" 1-3/8" 18		180	15000				
Kelvin Te	emp	Color	CRI	Beam Sp Deg			<u> </u>	emperature		Pack	Packa	ge Type	ENE	RGY STAR	
2700		Warm White	e 80	360		-200 (-	4F) to a +40C (n maximum (104F)	OT	12	CI	0/2	ENE	ENERGY STAR	
CEC Status RoHS Compliant F				Fi	xture Type		UL or ETL Listed UL Classification		ion	Warranty					
	l for alifoi	sale in rnia	Y	´es	Enc	losed Rate Lamp	d	Yes	cU		Damp Lo Rated	cation	<u>3 Y</u>	ear Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051