

## S39021

7WLED/DW/RDL/4/50K/120V 7 watt LED Direct Wire Downlight; 5000K; 120 volt; Dimmable

## Features

- Solid State LED lighting
  Long life
  Integrated j-box for direct wire installation
  Dimmable
- IC Rated



## S39021

Iter Num		PC	Voltage	Watts	Incandescent Equivalent	Fixture Type	Base	Lamp Code		е
S390	04592	3390210	120	7	45W	Direct Wire Downlight	Direct Wired	7WLED/DW/RDL/4/50K/120V		50K/120V
Dimm	able/Non-Dim	ımable	Finish	MOL Ir		Initial Lumens	Average Hou		Kelvin Temp	Color
	Dimmable		Frosted	2-3/4'	5-11/16"	490	400	00	5000	Daylight
CRI	Beam Sprea Deg	d Ор	erating Tem	perature	Ceiling Aperture	Max Drywa Thickness	Paci	k Package	Type EN	ERGY STAR
90	100	-20C	-20C (-4F) to a maximum of +45C (+113F)		of 4-5/16 in. cutout	1-1/4 in.	12/1	Box	EN	ERGY STAR
	CEC Status RoHS Compliant		UL or ETL Lis	UL or ETL Listed UL		. Classification		Varranty		
Lawful for sale in California Yes		Yes	cETLus -	cETLus - Damp Location Rated		5 Ye	5 Year Limited			



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051