

## S8486

18A21/LED/4K/90CRI 18 watt; A21 LED; 4000K; Medium base; 90CRI; 120 volts

## Features

- Solid State LED lighting
  A shaped replacement lamp
  Long life
  Approved for enclosed fixtures



S8486

| Item Numbe                  | er                 | UPC V      |                              | Voltage                      | Watts                                    | Incand                  | candescent Equivalent |                                      | Lamp Shape         | Base                       | ANSI Base              |
|-----------------------------|--------------------|------------|------------------------------|------------------------------|--|-------------------------|-----------------------|--------------------------------------|--------------------|----------------------------|------------------------|
| S8486                       | 045                | 5923084867 |                              | 120                          | 18 100W                                  |                         |                       | A21                                  | Medium             | E26                        |                        |
| Lamp                        | Lamp Code Dimmable |            | mmable/l<br>Dimmab           |                              | Suggested<br>Dimmers                     |                         | Finish                | MOL In<br>Inches                     | MOD In<br>Inches   | Initial<br>Lumens          | Average<br>Rated Hours |
| 18A21/LED/4K/90CRI Dim      |                    | Dimmab     | le <u>d</u>                  | Compatible dimmers for S8486 |  | Frosted                 | 5-1/2"                | 2-5/8"                               | 1600               | 25000                      |                        |
| Kelvin<br>Temp              | Color              | CRI E      | Beam Spi<br>Deg              | ım Spread<br>Deg Ope         |  | Operating Temperature P |                       | Pack                                 | Package Type CEC S |                            | C Status               |
| 4000                        | Cool White         | 90+        | 220                          | -2                           | -25C (-13F) to a maximum of +45C (+113F) |                         | 24                    | Box                                  |                    | l for sale in<br>alifornia |                        |
| RoHS Compliant Fixture Type |                    | UL or E    | ETL Listed UL Classification |                              | Warranty                                 |                         |                       |                                      |                    |                            |                        |
| Yes Enclosed Rated          |                    | Y          | es                           | cULus - Damp Location Rated  |  |                         | ted <u>5 Year I</u>   | 5 Year Limited - 10 hour use per day |                    |                            |                        |



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051