



S9859

9WPLV/LED/835/DR/4P
9W LED PL 4-Pin; 3500K; 850 Lumens; G24q base; 50000
Average rated hours; 120 Deg beam spread

Features

- Replaces 26, 32, and 42 watt CFLs
- Direct Replacement - for use with Electronic, Instant Start, Rapid Start, and Programmed Start ballasts with no rewiring required. Ballast required.
- Instant on to full brightness / no flickering
- Vertical operation
- Up to 70% energy saving
- Long life - 50,000 hours
- 5 year warranty

*Ballast required (See Ballast Compatibility Chart)

View:

[Ballast Compatibility Chart](#)

[Emergency Ballast Compatibility Chart](#)

This item has been discontinued.
Possible replacement:

- [S29859](#)



S9859

| Item Number | UPC | Watts | Fluorescent Equivalent | Lamp Shape | Base | Lamp Code | Dimmable/Non-Dimmable |
|-----------------|-----------------------|---------------|-------------------------|---------------------|----------------|---------------------|-----------------------|
| S9859 | 045923098598 | 9 | 26, 32, and 42 watt CFL | PL | G24q | 9WPLV/LED/835/DR/4P | Non-Dimmable |
| Finish | MOL In Inches | MOD In Inches | Initial Lumens | Average Rated Hours | Kelvin Temp | Color | CRI |
| Frost | 4-11/16" | 1-15/16" | 850 | 50000 | 3500 | Neutral White | 82 |
| Beam Spread Deg | Operating Temperature | Package Type | CEC Status | DLC ID: | RoHS Compliant | UL or ETL Listed | UL Classification |

| | | | | | | | |
|--------------------------------|---|--------------|-------------------------------|--|-----|-----|--|
| 120 | -20C (-4F) to a maximum of +45C (+113F) | Box | Lawful for sale in California | PRDX2HQQ DLC Search | Yes | Yes | cULus Classified - Damp Location Rated |
| Warranty | | Status | | Suggested Substitute | | | |
| 5 Year Limited | | Discontinued | | S29859 | | | |



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027

